ELSEVIER

Volumes 327–329, 31 August 1998

thin solid films

Contents

Preface xv
Organization xvi

Langmuir Monolayers and LB Film Fabrication

In-plane orientation of pyrrole derivatives bearing a side-on liquid crystal group
C. Jego, E. Dupart, P.-A. Albouy, C. Mingotaud 1

High glass transition temperature syndioregic second-order non-linear optical polymer in Langmuir–Blodgett–Kuhn films
M.J. Roberts, G.A. Lindsay, J.D. Stenger-Smith, R.A. Hollins, A.P. Chafin, R.F. Gratz 5

Deposition of Langmuir monolayers using conical trough
G. Agarwal, R.S. Phadke 9

Recent progress in metallic Langmuir–Blodgett films based on TTF derivatives
M. Izumi, H. Ohnuki, R. Kato, T. Imakubo, M. Nagata, T. Noda, K. Kojima 14

Breakdown of the Poisson-Boltzmann description for electrical double layers involving large multivalent ions
N. Cuvillier, F. Rondelez 19

In-plane orientation of mesoscopic domains in Langmuir and Langmuir–Blodgett films induced by rotating disks
K. Ikegami, C. Mingotaud, P. Delhaés 24

Phase behavior of methyl branched 1-acyl-2-alkyl-glycerophosphoethanolamines
F. Bringezu, G. Brezesinski, P. Nuhn, H. Möhwald 28

Study on the self-packing of SnO_2 nanoparticles at the air–hydrosol interface and its composite LB films with arachidic acid
X. Yuan, L. Cao, H. Wan, G. Zeng, S. Xi. 33

Lipopeptides of myelin basic protein in mono- and multilayers
G. Caminati, A.M. Papini, S. Mazzucco, G. Gabrielli 37

The compatibility in binary mixed monolayer films; poly(methyl methacrylate) and random copolymer of styrene and acrylonitrile
E. Kim, S.J. Cho, H.R. Suh, D.-M. Shin 42

Preparation and characterization of composite LB films of lignin and cadmium stearate
C.J.L. Constantino, A. Dhanabalan, A.A.S. Curvelo, O.N. Oliveira Jr. 47

An X-ray reflectivity study of monolayers and bilayers of archae lipids on a solid substrate
H. Franz, S. Dante, Th. Wappmannsberger, W. Petry, M. de Rosa, F. Rustichelli 52

Effect of pH on acetylcholinesterase Langmuir and Langmuir–Blodgett films studied by surface potential and atomic force microscopy
L. Dziri, S. Boussaad, N. Tao, R.M. Leblanc 56

Implications of using *m*-cresol in the Langmuir–Blodgett processing of polyaniline
A. Dhanabalan, A. Riul, D. Gonçalves, O.N. Oliveira. 60

Dipping induced orientation in Langmuir–Blodgett multilayers of a flexible PPV precursor polymer
J.G. Hagting, E.J. Vorenkamp, A.J. Schouten 65

Study of spontaneous insertion of non-ionic surfactant Triton X-100 into phospholipid monolayers
B. Hu, L.-Z. Mi, S.-f. Sui 69

Monolayer properties of amphiphilic tetrakis(phenylethynyl)benzene compounds
D. Janietz, S. Katholy, L. Brehmer 74

Elsevier Science S.A.

Langmuir–Blodgett films of new sulfonyl amphiphiles containing azobenzene chromophore
S. Kucharski, R. Janik, M. Bieńkowski, J. Sworakowski 78

Spreading concentration effect on the morphology of phospholipid monolayers
J.B. Li, R. Miller, D. Vollhardt, H. Möhwald 84

Molecular orientation of octaalkoxyphthalocyanine derivatives in Langmuir–Blodgett films
Y. Matsuzawa, T. Seki, K. Ichimura, K. Ikegami 87

Monolayers of complexes from amphiphiles and rigid rod-like polyelectrolytes
J. Engelking, H. Menzel. 90

Stable monolayers of fullerene derivatives
P. Wang, R.M. Metzger, B. Chen 96

In search of D-σ-A molecular rectifiers: the D-σ-A system derived from triptycenequinone and tetrathiafulvalene
S. Scheib, M.P. Cava, J.W. Baldwin, R.M. Metzger. 100

Inclusion phenomenon in mixed floating layers containing phthalocyanines
A.V. Nabok, A.K. Ray, A.K. Hassan, O. Omar, R. Taylor, T. Richardson, M. Pavier 104

Study on microstructures of mixed monolayers of poly (octadecylacrylate) and octadecanol in relation to the retardation of water evaporation
S. Machida, H. Nakahara, I. Yoshikawa, Y. Shibasaki, K. Fukuda 109

Monolayer assembly of long-chain histidine derivative for arrangement of cytochrome *C* molecules
M. Liu, A. Kira, H. Nakahara, A. Nagahama 113

Langmuir–Blodgett films of rhodopsin: an infrared spectroscopic study
I.M. Pepe, M.K. Ram, S. Paddeu, C. Nicolini 118

Monolayer properties of alkylammonium perfluoroalkanoates on concentrated sodium chloride solution
O. Shibata, H. Furuya, Y. Moroi, M. Saito, R. Matuura 123

Composite Langmuir–Blodgett films containing polypyrrole and polyimide
M.P. Srinivasan, F.J. Jing. 127

Organic/inorganic Langmuir–Blodgett films based on metal phosphonates 2: zirconium phosphonate-based alternating layer films
M.A. Petruska, G.E. Fanucci, D.R. Talham 131

Novel nitroso-compounds Langmuir–Blodgett films
Z. Ali-Adib, G. Mele, R. Rella, A. Serra, L. Valli, G. Vasapollo 136

Study of Langmuir monolayers of crown-ether C_{60} derivatives and their interaction with different subphase ions
S. Wang, R.M. Leblanc, F. Arias, L. Echegoyen 141

Mesogenic structural effects on monolayer behaviors of the liquid crystalline polysiloxanes at the air/water interface
X. Chen, K.-Z. Yang, Q.-B. Xue, Q.-Z. Zhang 145

Self-Assembly and Self-Organized Systems

Structure of SAMs generated from functionalized thiols on gold
K. Tamada, J. Nagasawa, F. Nakanishi, K. Abe, M. Hara, W. Knoll, T. Ishida, H. Fukushima, S. Miyashita, T. Usui, T. Koini, T.R. Lee 150

Molecular structure and surface order in monolayers of alkanethiols evidenced by HREELS
A.-S. Duwez, L.M. Yu, J. Riga, J.-J. Pireaux, J. Delhalle 156

Surfactant monolayers at solid–liquid interfaces: conformation and interaction
P.B. Miranda, V. Pflumio, H. Saijo, Y.R. Shen. 161

Kinetics of self-assembled silane monolayers at various temperatures: evidence of 2D foam
M. Goldmann, J.V. Davidovits, P. Silberzan 166

A novel supramolecular self-assembly thin film with spontaneous polar order
O.-K. Kim, L.-S. Choi, H.-Y. Zhang, X.-H. He, Y.-H. Shih 172

Fabrication of colloidal gold micro-patterns using photolithographed self-assembled monolayers as templates
J.-F. Liu, L.-G. Zhang, N. Gu, J.-Y. Ren, Y.-P. Wu, Z.-H. Lu, P.-S. Mao, D.-Y. Chen 176

Monolayer studies of methyl *vic*-dihydroxyoctadecanoates
S. Jacobi, L.F. Chi, M. Plate, M. Overs, H.-J. Schäfer, H. Fuchs 180

Atomic force microscopic studies on the growth of self-assembled monolayers on $SrTiO_3$-surfaces
B.L. Kropman, D.H.A. Blank, H. Rogalla 185

Adsorption kinetics of alkanethiols studied by quartz crystal microbalance
H.J. Kim, S. Kwak, Y.S. Kim, B.I. Seo, E.R. Kim, H. Lee 191

Effect of the molecular interaction on molecular packing and orientation in azobenzene-functionalized self-assembled monolayers on gold
J. Zhang, J. Zhao, H.L. Zhang, H.L. Li, Z.F. Liu 195

Mixed silane self assembled monolayers and their in situ modification
A. Heise, M. Stamm, M. Rauscher, H. Duschner, H. Menzel 199

Molecular strings at surfaces: 'forced assembly' of bithiophene on a sulphur p(4 × 1)Ni(110) surface
I. Kardinal, G. Koller, F.P. Netzer, M.G. Ramsey 204

Thermally stimulated currents and electrical conduction in self-assembled ultrathin films
K. Shinbo, K. Suzuki, K. Kato, F. Kaneko, S. Kobayashi 209

Aggregation and orientation phenomena in constrained films of LC poly(olefin sulfone)s
J. Haferkorn, Th. Geue, R.W. Date, A.H. Fawcett, J. Stumpe 214

Dendritic growth strategies for construction of ultrathin organic films on solid substrate
L. Zhang, Z. Bo, B. Zhao, Y. Wu, X. Zhang, J. Shen. 221

Dynamics, Rheology and Tribology of Interfaces

Interfacial relaxation of phospholipid layers at a liquid–liquid interface
R. Miller, J.B. Li, M. Bree, G. Loglio, A.W. Neumann, H. Möhwald 224

Analysis of dielectric relaxation phenomena of monolayer films by monolayer compression
C.-X. Wu, Y. Majima, M. Iwamoto. 228

Investigation of dielectric relaxation phenomena in liquid crystal monolayer at the air–water interface
Y. Majima, Y. Sato, C.-X. Wu, M. Iwamoto 232

Modern Methods of Surface and Film Characterization

HREELS characterization of surfaces and interfaces in self-assembled molecular monolayers
M. Rei Vilar, Y. Bouali, N. Kitakatsu, P. Lang, R. Michalitsch, F. Garnier, P. Dubot 236

Second-harmonic imaging of surface order and symmetry
M. Flörsheimer, M. Bösch, C. Brillert, M. Wierschem, H. Fuchs. 241

Hydration and removal of supported phospholipid films in aqueous surfactant solutions
M.T. Colberg, K. Carnes, A.E. Sáez, C.S. Grant, K. Hutchinson, D. Hesterberg. 247

Characterization of oligothiophene films by high resolution electron energy loss spectroscopy
O. Pellegrino, M. Rei Vilar, G. Horowitz, F. Kouki, F. Garnier, J.D. Lopes da Silva, A.M. Botelho do Rego. 252

Influence of head group methylation on the phase behavior of lipid monolayers
G. Brezesinski, F. Bringezu, G. Weidemann, P.B. Howes, K. Kjaer, H. Möhwald 256

Dependence of the measured monolayer height on applied forces in scanning force microscopy
M. Hartig, L.F. Chi, X.D. Liu, H. Fuchs. 262

Molecular property related silver decoration on fatty acid Langmuir–Blodgett monolayers
M. Gleiche, L.F. Chi, H. Fuchs 268

Analysis of defects in CdA Langmuir–Blodgett film using synchrotron X-ray radiation
J.-W. Choi, K. S. Cho, W. H. Lee, H. Sup Lee 273

Characterization of ultrathin films of titanyl phthalocyanine on graphite: PIES and UPS study
S. Kera, A. Abduaini, M. Aoki, K.K. Okudaira, N. Ueno, Y. Harada, Y. Shirota, T. Tsuzuki. 278

Optimum IR measurement conditions for thin layers on dielectric surfaces
P.G.H. Kosters, R.P.H. Kooyman 283

Surface-enhanced infrared spectra of azobenzene LB monolayers on silver island film
J. Zhang, J. Zhao, H.X. He, H.L. Li, Z.F. Liu 287

High-resolution electron energy loss spectroscopy studies on the electronic structure of quinquethiophene (5T) and sexithiophene (6T) films
O. Pellegrino, M. Rei Vilar, G. Horowitz, F. Kouki, F. Garnier, J.D. Lopes da Silva, A.M. Botelho do Rego (Portugal, France) 291

Structures and defects in Langmuir–Blodgett films
J. Speakman, V. Gacem, A. Gibaud, T. Richardson, N. Cowlam (UK, France) 295

Polarisation modulation IRRAS investigation of a cellulose ether at the air/water interface
Y. Xiao, H. Bourque, M. Pézolet, A.M. Ritcey (Canada) 299

Characterization of thin films of chloroaluminum phthalocyanine on MoS_2: HREELS, LEET and PIES study
Y. Azuma, T. Yokota, S. Kera, M. Aoki, K. K. Okudaira, Y. Harada, N. Ueno 303

Magnetic, (di)-Electric, Optical and Spectroscopic Properties

Infrared spectroscopy of aqueous biophysical monolayers
R.A. Dluhy, Z. Ping, K. Faucher, J.M. Brockman 308

Optical response of monolayer films of a metal-free sulfonamido-porphyrin
T. Richardson, V.C. Smith, R.A.W. Johnstone, A.J.F.N. Sobral, A.M.d'A. Rocha-Gonsalves (UK, Portugal) 315

Growth and characterization of benzylic amide [2]catenane thin films
C.A. Fustin, P. Rudolf, A.F. Taminiaux, F. Zerbetto, D.A. Leigh, R. Caudano (Belgium, Italy, UK) 321

Observation of unimolecular electrical rectification in hexadecylquinolinium tricyanoquinodimethanide
R.M. Metzger, B. Chen, D. Vuillaume, M.V. Lakshmikantham, U. Höpfner, T. Kawai, J.W. Baldwin, X. Wu, H. Tachibana, H. Sakurai, M.P. Cava 326

Organic/inorganic Langmuir–Blodgett films based on known layered solids: divalent and trivalent metal phosphonates
G.E. Fanucci, C.T. Seip, M.A. Petruska, C.M. Nixon, S. Ravaine, D.R. Talham. 331

Monolayers and Langmuir–Blodgett multilayers of urethane-substituted diacetylene polymers with different molecular weight
D. Grando, S. Sottini, G. Gabrielli 336

Gas-sensing properties of porphyrin dimer Langmuir–Blodgett films
D.P. Arnold, D. Manno, G. Micocci, A. Serra, A. Tepore, L. Valli (Australia, Italy) 341

Control of aggregate formation in merocyanine Langmuir–Blodgett films
Y. Hirano, J.-i. Kawata, Y.F. Miura, M. Sugi, T. Ishii 345

Charge-transfer interactions and non-linear optical properties of tetrathiafulvalene-based Langmuir–Blodgett films
T. Konuma, T. Akutagawa, T. Yumoto, T. Nakamura, J. Kawamata, K. Inoue, T. Nakamura, H. Tachibana, M. Matsumoto, H. Ikegami, S. Horiuchi, H. Yamochi, G. Saito. 348

Evaluation of liquid crystal molecules on polyimide LB films using attenuated total reflection measurement
A. Baba, F. Kaneko, K. Shinbo, K. Kato, S. Kobayashi 353

The effect of molecular structure and of three-dimensional order on electron transmission through thin organic layers
A. Kadyshevitch, S.P. Ananthavel, R. Naaman (Israel) 357

Scattered light due to excited surface plasmon in arachidic acid LB ultrathin films on silver thin films
Y. Aoki, K. Kato, K. Shinbo, F. Kaneko, T. Wakamatsu 360

Temperature-independent conductivity of Langmuir–Blodgett films of a helical polymer and its salt complex
D. Bhatt, Y. Zheng, T. Richardson, P.V. Wright, F. Davis 364

Cd^{2+} and Mn^{2+} incorporation in copolysiloxane/eicosylamine alternate layer LB films: influence on pyroelectric activity
R. Capan, T. Richardson, D. Lacey 369

Transient fluorescence in flavin/TCNQ hetero LB film
K.S. Cho, J.-W. Choi, W.H. Lee, N.W. Song, D. Kim 373

LB films of non-amphiphilic diacetylene-1,4(bis-(3-quinolyl)-buta-1,3-diyne (DQ)
A. Dhanabalan, S. Major, S.S. Talwar 378

High-sensitivity phthalocyanine LB film gas sensor based on field effect transistors
C. Gu, L. Sun, T. Zhang, T. Li, X. Zhang. 383

Power-law conductivity in merocyanine LB films
Y. Hirano, K. Omata, J. Ishizaki, J.-i. Kawata, Y.F. Miura, M. Sugi. 387

Possible low-temperature phase transition of Langmuir–Blodgett films of a charge–transfer complex detected by ESR
K. Ikegami, S.-i. Kuroda, T. Akutagawa, T. Konuma, T. Nakamura, M. Matsumoto, S. Horiuchi, H. Yamochi, G. Saito 391

Calculation of the dielectric constant of monolayers with dielectric anisotropy with a consideration of molecular configuration
C.-X. Wu, M. Iwamoto 395

Negative photoelectrical properties of adsorption Langmuir–Blodgett films
K. Kudo, S. Kuniyoshi, K. Tanaka 399

Thermally stimulated currents of Langmuir–Blodgett films
H.S. Lee, W.J. Lee, T.W. Kim, M. Iwamoto, D.-Y. Kang 403

Preparation and structure of quantum-sized cadmium sulfide grown in amphiphilic oligomer Langmuir–Blodgett films
L.S. Li, L. Qu, R. Lu, X. Peng, Y. Zhao, T.J. Li. 408

Heterostructure of silicon/organized-polymer-film with varied liquid crystalline states: a photovoltaic study
P. Zhang, S.J. Zhang, Z.W. Wu, D.J. Wang, J.Z. Liu, T.J. Li 412

Photovoltaic properties of novel conjugated oligomer/n-Si(111) heterostructrues
T.F. Xie, D.J. Wang, S.M. Chen, T.J. Li. 415

The investigation of a localized transition of poly(*p*-phenylenevinylene)
J. Yang, Z. Huang, Y. Bai, D. Wang, Y. Yin, D. Shen, X. Liu, D. Xie, R. Wang, T. Li. 419

Modulation of second harmonic generation properties of tolan and stilbene derivatives by monolayer assembling
W. Liang, H. Nakahara, H. Kimura, T. Wada, H. Sasabe 423

Photoinduced properties of liquid crystalline azobenzene polymer in Langmuir–Blodgett films investigated by surface plasmon resonance
J. Gu, B. Liang, L. Liu, Y. Tian, Y. Chen, B. Lu, Z. Lu 427

The temporal and thermal stability of pyroelectric calix[8]arene Langmuir–Blodgett films
C.M. McCartney, T. Richardson, M.A. Pavier, F. Davis, C.J.M. Stirling 431

Spin-crossover complex stabilized on a formamide/water subphase
H. Soyer, C. Mingotaud, M.-L. Boillot, P. Delhaes 435

Polyoxometalates in Langmuir–Blodgett films: toward new magnetic materials
M. Clemente-Leon, C. Mingotaud, C.J. Gomez-Garcia, E. Coronado, P. Delhaes 439

Conductive Langmuir–Blodgett films based on dialkyldimethylammonium–metal(dmit)$_2$
Y.F. Miura, Y. Kurashige, Y. Hirano, J. Kawata, M. Sugi 443

The formation of J-aggregates in mutual mixing merocyanine dyes LB films
K. Murata, H.-K. Shin, K. Saito, S.-i. Kuroda 446

Electrical conduction in monolayers and LB films of BEDOTTF-C_{10}TCNQ/arachidic acid mixed system
T. Nakamura, T. Yumoto, T. Akutagawa, R. Azumi, H. Tachibana, M. Matsumoto, S. Horiuchi, H. Yamochi, G. Saito 450

Fabrication of chiral poly(thiophene) Langmuir–Blodgett films
K. Ochiai, Y. Tabuchi, M. Rikukawa, K. Sanui, N. Ogata 454

ESR properties of Langmuir–Blodgett films based on BO and behenic acid
H. Ohnuki, M. Izumi, Y. Ishizaki, M. Nagata, T. Imakubo, R. Kato 458

A comment upon the second-order non-linear optical properties of 2,4-bis(*N*-octadecylpyrrol-2-yl)squaraine
G.J. Ashwell, G. Jefferies, A. Green, K. Skjonnemand, N.D. Rees, G.S. Bahra, C.R. Brown 461

On the characterisation and gas sensing properties of Cu(II) tetra(alkylamino carbonyl) phthalocyanine LB films
S. Capone, R. Rella, P. Siciliano, L. Vasanelli, L. Valli, L. Troisi 465

Langmuir–Blodgett films manipulation of regioregular poly(3-alkylthiophene)s
M. Rikukawa, Y. Tabuchi, K. Ochiai, K. Sanui, N. Ogata 469

The preparation and conductivity of LB films of a novel polymer electrolyte and its complexes with sodium triflate and eicosylamine
Y. Zheng, D. Bhatt, F. Davis, T. Richardson, P.V. Wright 473

Interfacial Chemical and Electrochemical Reactions

Fluorescence probes for chemical reactivity at the interface of a self-assembled monolayer
M.A. Fox, W. Li, M. Wooten, A. McKerrow, J.K. Whitesell 477

An electrochemical study of the changes in the passivation of an aluminum alloy surface induced by the presence of a self-assembled monolayer
G.M. Bommarito, A.V. Pocius 481

A two-dimensional network of phenol–formaldehyde monolayers by the Langmuir–Blodgett technique
J.U. Kim, B.-J. Lee, Y.-S. Kwon 486

Complex formation between amphiphilic organic ligands and transition metal ions in monolayers and LB multilayers
M. Liu, K. Ushida, A. Kira, H. Nakahara 491

Langmuir–Blodgett layers of a coordination polymer with a bifunctional Schiff base
J. Nagel, U. Oertel 495

The effect of the structure of ice on the aggregation state of co-adsorbed formic acid
S. Trakhtenberg, R. Naaman 499

Nanoparticle/Matrix Composites

Preparation of semiconductor superlattices from LB precursor
V. Erokhin, P. Facci, L. Gobbi, S. Dante, F. Rustichelli, C. Nicolini 503

Nucleation and growth of semiconductor particles on self-assembled monolayers by chemical solution deposition
J. Flath, F.C. Meldrum, W. Knoll 506

Size-quantization in extremely small CdS clusters formed in calixarene LB films
A.V. Nabok, T. Richardson, C. McCartney, N. Cowlam, F. Davis, C.J.M. Stirling, A.K. Ray, V. Gacem, A. Gibaud . 510

Langmuir–Blodgett films of thiol-capped gold nanoclusters: fabrication and electrical properties
J.-P. Bourgoin, C. Kergueris, E. Lefèvre, S. Palacin. 515

Preparation and characterization of Langmuir monolayers and Langmuir–Blodgett films of nanosized Au_{55}-clusters
L.F. Chi, S. Rakers, M. Hartig, H. Fuchs, G. Schmid 520

Two-dimensional array of silver nanoparticles
K. Abe, T. Hanada, Y. Yoshida, N. Tanigaki, H. Takiguchi, H. Nagasawa, M. Nakamoto, T. Yamaguchi, K. Yase . . 524

Multilayer assemblies of colloidal ZnS doped with silver and polyelectrolytes based on electrostatic interaction
J. Sun, E. Hao, Y. Sun, X. Zhang, B. Yang, S. Zou, J. Shen, S. Wang 528

SFM and SEM investigation of CdS layers from Langmuir–Blodgett film templates
P. Facci, A. Diaspro, R. Rolandi 532

Assembly and applications of the inorganic nanocrystals in polymer networks
J.M. Huang, Y. Yang, B. Yang, S.Y. Liu, J.C. Shen 536

FTIR and UV-vis spectroscopy studies of Langmuir–Blodgett films of stearic acid/γ-Fe_2O_3 nanoparticles
Y.S. Kang, D.K. Lee, P. Stroeve 541

Negative-resistance device using organic-dye-doped polymer film
A. Kawamoto, Y. Suzuoki, T. Mizutani 545

Langmuir–Blodgett films in the development of high temperature single electron tunneling devices
G.B. Khomutov, E.S. Soldatov, S.P. Gubin, S.A. Yakovenko, A.S. Trifonov, A.Yu. Obydenov, V.V. Khanin. 550

Template induced crystallization of biominerals on self-assembled monolayers of alkylthiols
J. Küther, W. Tremel 554

Structure and characterization of surfactant-capped CdS nanoparticle films by the Langmuir–Blodgett technique
J. Jin, L.S. Li, Y.Q. Tian, Y.J. Zhang, Y. Liu, Y.Y. Zhao, T.S. Shi, T.J. Li 559

Preparation of covalently modified organic–inorganic composite nanoparticles and their interfacial electron transfer researches
X. Zhang, S. Du, Y. Chen, L. Zhang, Y. Cao, X. Chai, Y. Bai, L. Xiao, T. Li 563

Study on the photo-induced interfacial charge transfer in TiO_2/Fe_2O_3 heterostructured composite film
X. Zhang, Y. Cao, S. Kan, Y. Chen, J. Tang, H. Jin, Y. Bai, L. Xiao, T. Li, B. Li. 568

Growth of FeO(OH) crystals on self-assembled monolayers on gold
M. Nagtegaal, P. Stroeve, W. Tremel 571

Characterization of 16-mer polyaniline composite Langmuir–Blodgett films
A. Riul Jr., A. Dhanabalan, L.H.C. Mattoso, L.M. de Souza, E.A. Ticianelli, O.N. Oliveria Jr.. 576

Ion irradiation effect on diluted magnetic semiconductor fine particles incorporated into Langmuir–Blodgett films
T. Yamaki, T. Yamada, K. Asai, K. Ishigure, H. Shibata. 581

Diluted magnetic semiconductor nanoparticles fabricated by the Langmuir–Blodgett technique
T. Yamaki, T. Yamada, K. Asai, K. Ishigure 586

Gold nanoparticulate film bound to silicon surface with self-assembled monolayers
J. Wang, T. Zhu, J. Song, Z. Liu 591

Assembling colloidal Au nanoparticles with functionalized self-assembled monolayers
T. Zhu, X. Zhang, J. Wang, X. Fu, Z. Liu. 595

Molecular Recognition in Organized Molecular Films

Interaction of DPPC monolayer at air–water interface with hydrophobic ions
V.L. Shapovalov 599

Construction of two-dimensional DNA-mimetics: supramolecular architecture with highly stacked base-pairs of amphiphilic adenine and thymine at the air–water interface
F. Nakamura, K. Ijiro, M. Shimomura 603

Characterization of Langmuir–Blodgett films of *N,N*-dioctadecyl-*p*-nitrophenylaniline mixed with arachidic acid
D.-M. Shin, M.-K. Park, S.-T. Lim 607

A study on gas sensor using electrical properties of fatty acid Langmuir–Blodgett films
D.-K. Kim, Y.-S. Choi, J.-S. Chang, Y.-S. Kwon 612

Biological and Medical Aspects of Organized Molecular Films

Specific adsorption of PLA_2 at monolayers
U. Dahmen-Levison, G. Brezesinski, H. Möhwald 616

Study of horseradish peroxidase activity in alternate-layer Langmuir–Blodgett films
T.S. Berzina, L. Piras, V.I. Troitsky 621

Myelin model membranes on solid substrates
H. Haas, M. Torrielli, R. Steitz, P. Cavatorta, R. Sorbi, A. Fasano, P. Riccio, A. Gliozzi 627

The role of pulmonary surfactant protein C during the breathing cycle
H.-J. Galla, N. Bourdos, A. von Nahmen, M. Amrein, M. Sieber 632

Synchrotron study of heat induced order in protein Langmuir–Blodgett films
V. Erokhin, S. Carrara, S. Guerzoni, P. Ghisellini, C. Nicolini 636

Langmuir–Blodgett film of hydrogenase for electrochemical hydrogen production
K. Noda, N.A. Zorin, C. Nakamura, M. Miyake, I.N. Gogotov, Y. Asada, H. Akutsu, J. Miyake 639

In situ quartz crystal microbalance monitoring of Fab′-fragment binding to linker lipids in a phosphatidylcholine monolayer matrix. Application to immunosensors
I. Vikholm, W.M. Albers, H. Välimäki, H. Helle 643

DNA-containing organized molecular structure based on controlled assembly on supported monolayers
C. Xiao, M. Yang, S.-f. Sui 647

Applications of Organized Molecular Films

Temperature dependence of current transport in palladium/LB-film/silicon diodes
B. O'Beirn, V. Casey, M.A. Gubbins, J.B. McMonagle 652

Molecular sifter using space controlled Langmuir–Blodgett films by fullerene molecules
S. S. Shiratori, M. Shimizu,. K. Ikezaki 655

Polycyanoacrylate electron beam resists deposited by the Langmuir–Schaefer technique
V.I. Troitsky, N.K. Matveeva 659

Light emitting electrochemical devices from sequentially adsorbed multilayers of a polymeric ruthenium (II) complex and various polyanions
A. Wu, J. Lee, M.F. Rubner 663

High frequency alternating current light-emitting diodes using Langmuir–Blodgett films
R. Österbacka, A.J. Pal, H. Stubb 668

Photoinduced electron transfer in an MIM device composed of ferrocene-flavin-viologen-TCNQ molecular heterojunctions
J.-W. Choi, S.W. Chung, S.Y. Oh, W.H. Lee, D.M. Shin 671

Fiber-optic biosensor for the detection of organophosphorus compounds using AChE-immobilized viologen LB films
J.-W. Choi, J. Min, J.-W. Jung, H.-W. Rhee, W.H. Lee 676

Alignment of nematic liquid crystals on mixed Langmuir–Blodgett monolayers
V.S.U. Fazio, L. Komitov, S.T. Lagerwall 681

Complexation of metal ions with Langmuir–Blodgett films of novel calixarene azo-derivative
A.K. Hassan, A.V. Nabok, A.K. Ray, F. Davis, C.J.M. Stirling 686

Nanometer-scale lithography of the Langmuir–Blodgett films with atomic force microscope
J.C. Kim, Y.M. Lee, E.R. Kim, H. Lee, Y.W. Shin, S.W. Park 690

Saw gas detection using Langmuir–Blodgett polypyrrole films
E. Milella, M. Penza 694

Photocurrent of bacteriorhodopsin films deposited by electrophoretic method
J. Min, H.-G. Choi, J.-W. Choi, W.H. Lee, U.R. Kim 698

Photoreceptor composed of spiropyran–TCNQ films for image extraction
J. Min, S. Lee, J.-W. Choi, S.Y. Oh, W.H. Lee 703

The effect of addition of second donor layer on charge separation in LB films
M. Sakomura, T. Oono, M. Fujihira 708

Light-emitting diodes from dye-insulating matrix Langmuir–Blodgett films
T. Östergård, A.J. Pal, H. Stubb 712

Light emission from electroluminescent Langmuir–Blodgett films of a polyester derived from oligothiophene
L.M. Goldenberg, M. Leclerc, A. Donat-Bouillud, C. Pearson, M.C. Petty 715

The accumulation of photochromic energy acceptor species in A–S dyad Langmuir–Blodgett films
M. Sakomura, M. Fujihira 718

Hydration number of calcium palmitate LB film deposited on a piezoelectric quartz crystal plate
B.I. Seo, H. Lee, J.J. Chung, S.H. Cha, K.H. Lee, W.J. Seo, Y. Cho, H.B. Park, W.S. Kim 722

Optical sensing of aromatic hydrocarbons using Langmuir–Blodgett films of a Schiff base co-ordination polymer
J.N. Wilde, J. Nagel, M.C. Petty 726

Alternate Polyelectrolyte Deposition

Chemically modified electrode via layer-by-layer deposition of glucose oxidase (GOD) and polycation-bearing Os complex
Y. Sun, J. Sun, X. Zhang, C. Sun, Y. Wang, J. Shen 730

Ultrathin multilayers made by alternate deposition of ionenes and polyvinylsulfate: from unstable to stable growth
X. Arys, A.M. Jonas, B. Laguitton, A. Laschewsky, R. Legras, E. Wischerhoff 734

Adsorption isotherms of poly(*o*-methoxyaniline)
M. Raposo, L.H.C. Mattoso, O.N. Oliveira Jr. 739

Optical sensor with active matrix built from polyelectrolytes–smart molecules mixture
W. Fabianowski, M. Roszko, W. Brodziñska 743

Layer-by-layer self-assembly of polyelectrolyte and water soluble cyanine dye
H. Fukumoto, Y. Yonezawa 748

Self-assembled mono- and multilayers of monodisperse cationic and anionic latex particles
K.-U. Fulda, A. Kampes, L. Krasemann, B. Tieke 752

Supported (tethered) Membranes at Interfaces

The electrical characterization of supported phospholipid bilayers using titanium/titanium oxide microelectrodes
A. Sinner, A. Offenhäusser 758

Ultrathin membranes for gas separation and pervaporation prepared upon electrostatic self-assembly of polyelectrolytes
F. van Ackern, L. Krasemann, B. Tieke 762

Formation of tethered supported bilayers via membrane-inserting reactive lipids
M. Seitz, J.Y. Wong, C.K. Park, N.A. Alcantar, J. Israelachvili 767

Forces at Surfaces

Effect of substrate anchoring on the mechanical strength of Langmuir–Blodgett bilayers
J. Schneider, Y. Dori, M. Tirrell, R. Sharma 772

Force titration of amino group-terminated self-assembled monolayers of 4-aminothiophenol on gold using chemical force microscopy
H. Zhang, H.-X. He, T. Mu, Z.-F. Liu 778

Studies of Single Molecules at Surfaces

Direct observation of the behavior of single macromolecules at the gas–liquid interface
J. Wu, G. Wegner 781

Active External Control (light, electric field, pH, etc.) of Organized Molecular Films

Variation of monolayer behaviour and molecular packing in zinc arachidate LB films with subphase pH
A. Dhanabalan, N. Prasanth Kumar, S. Major, S.S. Talwar 787

Fabrication and characterization of charge-transfer complex films by a bias-voltage LB technique
K. Itadera, K. Kudo, S. Kuniyoshi, K. Tanaka 792

Linear response of a fluctuating lipid bilayer
A. Ridi, E. Scalas, M. Robello, A. Gliozzi 796

Effects of counterions on the orientation control of photosynthetic reaction center proteins in an applied bias-voltage Langmuir–Blodgett method
Y. Yasuda, H. Toyotama, M. Hara, J. Miyake 800

Monolayers and Langmuir–Blodgett films of the electrochromic dye Di-8-ANEPPS
H. Huesmann, G. Gabrielli, G. Caminati 804

A study on X-ray irradiation of composite polyaniline LB films
A. Dhanabalan, J.A. Malmonge, A. Riul Jr., R.M. Faria, O.N. Oliveira Jr. 808

Light-induced J-aggregation in mixed Langmuir–Blodgett films of selenium-containing cyanine and azobenzene
H. Tachibana, F. Sato, S. Terrettaz, R. Azumia, T. Nakamura, H. Sakai, M. Abe, M. Matsumoto 813

Langmuir monolayers of polydimethylsiloxane with controllable surface potential
V.L. Shapovalov 816

Photosensitive and ionoselective properties of the amphipilic crown-ether dye in monolayers
S.Y. Zaitsev, V.P. Vereschetin, E.A. Baryshnikova, S.P. Gromov, O.A. Fedorova, M.V. Alfimov, H. Huesmann, D. Möbius
821

Lateral Organization (patterning, thermodynamic phase separation) of Organized Molecular Films

Tobacco mosaic virus adsorption on self-assembled and Langmuir–Blodgett monolayers studied by TIRF and SFM
D.W. Britt, J. Buijs, V. Hlady 824

Formation of ordered mesoscopic patterns in polymer cast films by dewetting
O. Karthaus, L. Gråsjö, N. Maruyama, M. Shimomura 829

Molecular photopatterning with a two-dimensional network of polymer LB films
T. Miyashita, M. Nakaya, A. Aoki 833

Phase separation of mixed LB films containing spin probe molecules
K. Suga, Y. Iwamoto, H. Shibata, N. Yamada, M. Fujihira 837

Phase transition in adsorption layers at the air–water interface: structure features of the condensed phase
D. Vollhardt, V. Melter, V. Fainerman 842

A Monte Carlo study of bilayer formation in a lattice model
A. Drefahl, M. Wahab, P. Schiller, H.-J. Mögel 846

Monolayer properties of amphiphilic molecules supported on nano-rough surfaces: a Monte Carlo study
A. Drefahl, O. Seidel, H.-J. Mögel 850

Mesoscopic patterns of molecular aggregates on solid substrates
N. Maruyama, T. Koito, J. Nishida, T. Sawadaishi, X. Cieren, K. Ijiro, O. Karthaus, M. Shimomura 854

Competition of interactions in monolayers of amphiphilic acid amides at the air–water interface
V. Melzer, D. Vollhardt, G. Brezesinski, H. Möhwald 857

Author index of Volumes 327–329 861

Subject index of Volumes 327–329 865

For more information on *Thin Solid Films*, please visit our website at:
http://www.elsevier.nl/locate/tsf

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request